

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	ATTORNEY DOCKET NO. CONFIRMATION NO.		
10/542,225	07/14/2005	Kenji Kono	81887.0128	81887.0128 3354		
26021 759	90 10/20/2006		EXAMINER			
HOGAN & HARTSON L.L.P. 1999 AVENUE OF THE STARS			HO, HUY C			
SUITE 1400			. ART UNIT	PAPER NUMBER		
LOS ANGELES, CA 90067			2617			
			DATE MAIL ED: 10/20/2006	DATE MAILED: 10/20/2006		

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application	on No.	Applicant(s)				
Office Action Summary		10/542,22	5	KONO, KENJI				
		Examiner		Art Unit				
		Huy C. Ho		2617				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply								
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).								
Status								
1)🖂	Responsive to communication(s) filed on	<u>1/23/2006</u> .		•				
2a) <u></u> □	This action is FINAL. 2b)⊠ This action is non-final.							
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is							
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.							
Dispositi	on of Claims							
4)🖾	4)⊠ Claim(s) <u>1-12</u> is/are pending in the application.							
	4a) Of the above claim(s) is/are withdrawn from consideration.							
· <u> </u>	5) Claim(s) is/are allowed.							
·	Claim(s) <u>1-12</u> is/are rejected.							
· _								
8) Claim(s) are subject to restriction and/or election requirement.								
Applicati	on Papers							
9)☐ The specification is objected to by the Examiner.								
10)⊠ The drawing(s) filed on <u>23 January 2006</u> is/are: a)⊠ accepted or b)⊡ objected to by the Examiner.								
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).								
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.								
•		ine Examiner. No	te the attached Office	Action of form 1	10-102.			
_	inder 35 U.S.C. § 119							
12)⊠ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).								
a)[a) All b) Some * c) None of:							
	 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 							
	3. Copies of the certified copies of the priority documents have been received in this National Stage							
	application from the International Bureau (PCT Rule 17.2(a)).							
* See the attached detailed Office action for a list of the certified copies not received.								
Attachman	uc)							
Attachment 1) Notice	e of References Cited (PTO-892)		4) Interview Summary	(PTO-413)				
2) Notic	e of Draftsperson's Patent Drawing Review (PTO-94	48)	Paper No(s)/Mail Da 5) Notice of Informal Pa	te				
3) 🗵 Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 6/19/2006. いん ブルリ 14/コラ			6) Other:	sterit Abhiroa(in)				

Priority

DETAILED ACTION

1. Acknowledgment is made of applicant's claim for foreign priority under 35 U.S.C. 119(a)-(d). The certified copy has been filed in parent Application No. 2003-011539, filed on January 20, 2003.

Information Disclosure Statement

2. The information disclosure statement (IDS) submitted on July 14, 2005 and on June 19, 2006 has been received and placed of record in the file.

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Application/Control Number: 10/542,225 Page 3

Art Unit: 2617

5. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 6. Claims 1-4, 7-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ahmed (US Patent 6,782,261), further in view of Hideki (JP-2001-128210).

Consider claim 1, Ahmed teaches a wireless communication terminal comprising (see the abstract):

A measurement section that measures quality of a signal transmitted from a base station (see abstract, column 1 lines 35-40, column 2 lines 37-41, col 3 lines 10-15, where Ahmed discloses the mobile station is capable of monitor the signal strengths of plurality of pilot signals transmitted from a plurality of base stations, thus discloses a measurement section that measures quality of a signal transmitted from a base station),

A determination section that determines whether or not handoff is to be performed based on a measurement result of the measurement section and a criterion of the determination of the handoff; and (see col 1 lines 45-67, col 2 lines 1-34, col 4 lines 45-65, where Ahmed describes by monitoring the signal strengths of pilots transmitted from base stations and also based on some certain criteria such as Add/Drop thresholds settings, the mobile phone is capable of determine an appropriate handoff, thus Ahmed discloses a determination section that determines whether or not handoff is to be performed based on a measurement result of the measurement section and a criterion of the determination of the handoff),

A handoff section that performs the handoff based on the determination result of the determination section (see figure 1, see column 4 lines 45-67, column 5 lines 15-35, where Ahmed

describes the mobile station detects pilot signals, manages these pilots by assigning them into 4 mutual exclusive sets then the handoff will be performed when some certain criteria meets such as the pilot signal is greater than the pilot detection threshold T-Add, therefore, Ahmed discloses a handoff section that performs the handoff based on the determination result of the determination section),

Ahmed fails to disclose a change in the criterion of a handoff determination when the handoff process is performed in predetermined repetition pattern although it is noticeable that Ahmed discloses the mobile station reassigns the pilot signals to the right classified pilot set for the handoff when the pilot signal strength is greater than a predetermined value T_Add (see column 5, lines11-25, col 6 lines 20-37), and Ahmed also discloses method of recalculating of the threshold value, what Ahmed calls is a dynamic Add threshold (DAT) being determined as a function of the total detected energy of the pilots in the Active set (see col 6 lines 35-65) (change the criterion) for proper handoff instead an effective handoff is dropped and then re-added shortly after, or in case an ineffective handoff is added and then dropped shortly afterwards (see col 2 lines 5-35). In same field of endeavor, Hideki teaches a measurement means is used for receiving quality of two or more control channel signals, and a comparison means to perform selection by choosing the control channel signal which shows the maximum highest quality of the two signals (see Hideki, see par [12]-[15]), thus it would have been obvious to a person of ordinary skill in the art at the time of the invention was made to incorporate Hideki's teaching into Ahmed's invention in order to have the extra feature of changing the criterion of a handoff determination when the handoff process is performed in predetermined repetition pattern.

Consider **claim 2**, as applied to **claim 1**, Ahmed fails to teach the determination section changes the criterion of the determination of the handoff when a predetermined repetition of two pilot signals is acquired, even thought it is noticeable that Ahmed discloses the mobile station reassigns the pilot signals to the right classified pilot set for the handoff when the pilot signal strength is greater than a handoff threshold value T Add (see column 5, lines11-25, col 6 lines 20-37), Ahmed also discloses method of

recalculating of the threshold value, what Ahmed calls is a dynamic Add threshold (DAT) being determined as a function of the total detected energy of the pilots in the Active set (see col 6 lines 35-65) (change the criterion) for proper handoff instead an effective handoff is dropped and then re-added shortly after, or in case an ineffective handoff is added and then dropped shortly afterwards (see col 2 lines 5-35). In an analogous art, Hideki teaches a measurement means is used for receiving quality of two or more control channel signals, and a comparison means to perform selection by choosing the control channel signal which shows the maximum highest quality of the two (see Hideki, see pars [12]-[15]), thus it would have been obvious to a person of ordinary skill in the art at the time of the invention was made to incorporate Hideki's teaching into Ahmed's invention in order to have the extra feature of determination section changes the criterion of the determination of the handoff when a predetermined repetition of two pilot signals is acquired.

Consider claim 3, as applied to claim 2, Ahmed, as modified by Hideki, further teaches when qualities of the two pilot signals acquired repeatedly are equal to or greater than a predetermined value, the criterion of the determination of the handoff is changed (see Ahmed, see column 5, lines11-25, col 6 lines 20-37, where Ahmed describes if all pilots having signal strengths greater than a pilot detection threshold T_Add, then the mobile station dynamically reassigns the pilots to a Candidate set as being next in line of the handoff execution, therefore, discloses the criterion of the determination of the handoff is changed when qualities of the two pilot signals acquired repeatedly are equal to or greater than a predetermined value).

Consider **claim 4**, as applied to **claim 1**, Ahmed, as modified by Hideki, further discloses a detection section that detects time during which a preceding pilot signal is acquired every time handoff is performed, wherein the determination section changes the criterion of the determination of the handoff based on the time detected by the detection section (see Ahmed, see column 6 lines 5-16, where Ahmed describes regarding to handoff procedure, when pilot signal strength decreases less than a removal

threshold T_Drop value, then the mobile station initiates the handoff drop timer, and if this the pilot signal strength is still below the drop timer, then the mobile station sends a pilot strength measurement message to the base station, the base station in turn, sends a handoff direction message to the mobile station and mobile station reassigns pilot signal to the neighbor set, therefore, Ahmed discloses a detection section that detects time during which a preceding pilot signal is acquired every time handoff is performed, wherein the determination section changes the criterion of the determination of the handoff based on the time detected by the detection section).

Consider **claim 7**, Ahmed, as modified by Hideki, teaches a wireless communication terminal comprising (see the abstract):

A measurement section that measures quality of a signal transmitted from a base station (see abstract, column 1 lines 35-40, column 2 lines 37-41, col 3 lines 10-15, where Ahmed discloses the mobile station is capable of monitor the signal strengths of plurality of pilot signals transmitted from a plurality of base stations, thus discloses a measurement section that measures quality of a signal transmitted from a base station),

A determination section that determines whether or not handoff is to be performed based on a measurement result of the measurement section and a criterion of the determination of the handoff; and (see col 1 lines 45-67, col 2 lines 1-34, col 4 lines 45-65, where Ahmed describes by monitoring the signal strengths of pilots transmitted from base stations and also based on some certain criteria such as Add/Drop thresholds settings, the mobile phone is capable of determine an appropriate handoff, thus Ahmed discloses a determination section that determines whether or not handoff is to be performed based on a measurement result of the measurement section and a criterion of the determination of the handoff),

A handoff section that performs the handoff based on the determination result of the determination section (see figure 1, see column 4 lines 45-67, column 5 lines 15-35, where Ahmed describes the mobile station detects pilot signals, manages these pilots by assigning them into 4 mutual

exclusive sets then the handoff will be performed when some certain criteria meets such as the pilot signal is greater than the pilot detection threshold T-Add, therefore, Ahmed discloses a handoff section that performs the handoff based on the determination result of the determination section),

Ahmed discloses the mobile station reassigns the pilot signals to the right classified pilot set for the handoff when the pilot signal strength is greater than a predetermined value T_Add (see column 5, lines11-25, col 6 lines 20-37). Ahmed fails to disclose a change in the criterion of a handoff determination when the handoff process is performed in predetermined repetition pattern. However, Hideki teaches a measurement means is used for receiving quality of two or more control channel signals, and a comparison means to perform selection by choosing the control channel signal which shows the maximum highest quality of the two, thus it would have been obvious to a person of ordinary skill in the art at the time of the invention was made to incorporate Hideki's teaching into Ahmed's invention in order to have the extra feature of changing the criterion of a handoff determination when the handoff process is performed in predetermined repetition pattern.

Consider claim 8, as applied to claim 7, Ahmed fails to teach the determination section changes the criterion of the determination of the handoff when a predetermined repetition of two pilot signals is acquired, even thought it is noticeable that Ahmed discloses the mobile station reassigns the pilot signals to the right classified pilot set for the handoff when the pilot signal strength is greater than a handoff threshold value T_Add (see column 5, lines11-25, col 6 lines 20-37), Ahmed also discloses method of recalculating of the threshold value, what Ahmed calls is a dynamic Add threshold (DAT) being determined as a function of the total detected energy of the pilots in the Active set (see col 6 lines 35-65) (change the criterion) for proper handoff instead an effective handoff is dropped and then re-added shortly after, or in case an ineffective handoff is added and then dropped shortly afterwards (see col 2 lines 5-35). In an analogous art, Hideki teaches a measurement means is used for receiving quality of two or more control channel signals, and a comparison means to perform selection by choosing the control channel

signal which shows the maximum highest quality of the two (see Hideki, see pars [12]-[15]), thus it would have been obvious to a person of ordinary skill in the art at the time of the invention was made to incorporate Hideki's teaching into Ahmed's invention in order to have the extra feature of determination section changes the criterion of the determination of the handoff when a predetermined repetition of two pilot signals is acquired.

Consider claim 9, as applied to claim 8, Ahmed teaches when qualities of the two pilot signals acquired repeatedly are equal to or greater than a predetermined value, the criterion of the determination of the handoff is changed (see column 5, lines11-25, col 6 lines 20-37, where Ahmed describes if all pilots having signal strengths greater than a pilot detection threshold T_Add, then the mobile station dynamically reassigns the pilots to a Candidate set as being next in line of the handoff execution, therefore, discloses the criterion of the determination of the handoff is changed when qualities of the two pilot signals acquired repeatedly are equal to or greater than a predetermined value).

Consider claim 10, as applied to claim 7, Ahmed discloses a detection section that detects time during which a preceding pilot signal is acquired every time handoff is performed, wherein the determination section changes the criterion of the determination of the handoff based on the time detected by the detection section (see column 6 lines 5-16, where Ahmed describes regarding to handoff procedure, when pilot signal strength decreases less than a removal threshold T_Drop value, then the mobile station initiates the handoff drop timer, and if this the pilot signal strength is still below the drop timer, then the mobile station sends a pilot strength measurement message to the base station, the base station in turn, sends a handoff direction message to the mobile station and mobile station reassigns pilot signal to the neighbor set, therefore, Ahmed discloses a detection section that detects time during which a preceding pilot signal is acquired every time handoff is performed, wherein the determination section changes the criterion of the determination of the handoff based on the time detected by the detection section).

7. Claims 5 and 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ahmed (US Patent 6,782,261), further in view of Zhao (US Patent 7,006,473).

Consider **claim 5**, Ahmed teaches a wireless communication terminal comprising (see the abstract):

A measurement section that measures quality of a signal transmitted from a base station (see abstract, column 1 lines 35-40, column 2 lines 37-41, col 3 lines 10-15, where Ahmed discloses the mobile station is capable of monitor the signal strengths of plurality of pilot signals transmitted from a plurality of base stations, thus discloses a measurement section that measures quality of a signal transmitted from a base station),

A determination section that determines whether or not handoff is to be performed based on a measurement result of the measurement section and a criterion of the determination of the handoff; and (see col 1 lines 45-67, col 2 lines 1-34, col 4 lines 45-65, where Ahmed describes by monitoring the signal strengths of pilots transmitted from base stations and also based on some certain criteria such as Add/Drop thresholds settings, the mobile phone is capable of determine the appropriate handoff, thus Ahmed discloses a determination section that determines whether or not handoff is to be performed based on a measurement result of the measurement section and a criterion of the determination of the handoff),

A handoff section that performs the handoff based on the determination result of the determination section (see figure 1, see column 4 lines 45-67, column 5 lines 15-35, where Ahmed describes the mobile station detects pilot signals, manages these pilots by assigning them into 4 mutual exclusive sets then the handoff will be performed when some certain criteria meets such as the pilot signal is greater than the pilot detection threshold T-Add, therefore, Ahmed discloses a handoff section that performs the handoff based on the determination result of the determination section),

Ahmed fails to teach the determination section determines whether or not the handoff is to be performed based on a value obtained by time-averaging the measurement result of the measurement section immediately after the handoff is performed, and determines whether or not the handoff is to be performed based on a value obtained by number-averaging the measurement result of the measurement section after a lapse of a predetermined period since the handoff is performed, even thought Ahmed teaches monitoring the signal strengths of pilots transmitted from base stations and also based on some certain criteria such as Add/Drop thresholds settings (see col 1 lines 45-67, col 2 lines 1-34, col 4 lines 45-65), and also teaches the mobile station detects pilot signals, manages these pilots by assigning them into 4 mutual exclusive sets then the handoff will be performed when some certain criteria meets such as the pilot signal is greater than the pilot detection threshold T-Add (see figure 1, see column 4 lines 45-67, column 5 lines 15-35)). In an analogous art, Zhao describes the handoff is performed based on an average number being averaged over period of time (see Zhao, figure 2, column 4 lines 48-67 and column 5 lines 1-30, where Zhao describes the handoff process is started based on number of measurement of pilot signal strengths over time, the handoff is finally determined by averaging out those measured values of signal strength referring to time, therefore, Zhao describes the handoff is performed based on an average number being averaged over period of time), therefore, it would have been obvious to a person of ordinary skill in the art at the time of the invention was made to incorporate Zhao's teaching into Ahmed's invention in order to have the extra feature of the determination section determines whether or not the handoff is to be performed based on a value obtained by time-averaging the measurement result of the measurement section immediately after the handoff is performed, and determines whether or not the handoff is to be performed based on a value obtained by number-averaging the measurement result of the measurement section after a lapse of a predetermined period since the handoff is performed.

Consider claim 11, Ahmed teaches a wireless communication terminal comprising (see the abstract):

A measurement section that measures quality of a signal transmitted from a base station (see abstract, column 1 lines 35-40, column 2 lines 37-41, col 3 lines 10-15, where Ahmed discloses the mobile station is capable of monitor the signal strengths of plurality of pilot signals transmitted from a plurality of base stations, thus discloses a measurement section that measures quality of a signal transmitted from a base station),

A determination section that determines whether or not handoff is to be performed based on a measurement result of the measurement section and a criterion of the determination of the handoff; and (see col 1 lines 45-67, col 2 lines 1-34, col 4 lines 45-65, where Ahmed describes by monitoring the signal strengths of pilots transmitted from base stations and also based on some certain criteria such as Add/Drop thresholds settings, the mobile phone is capable of determine an appropriate handoff, thus Ahmed discloses a determination section that determines whether or not handoff is to be performed based on a measurement result of the measurement section and a criterion of the determination of the handoff),

A handoff section that performs the handoff based on the determination result of the determination section (see figure 1, see column 4 lines 45-67, column 5 lines 15-35, where Ahmed describes the mobile station detects pilot signals, manages these pilots by assigning them into 4 mutual exclusive sets then the handoff will be performed when some certain criteria meets such as the pilot signal is greater than the pilot detection threshold T-Add, therefore, Ahmed discloses a handoff section that performs the handoff based on the determination result of the determination section),

Ahmed fails to teach the determination section determines whether or not the handoff is to be performed based on a value obtained by time-averaging the measurement result of the measurement section immediately after the handoff is performed, and determines whether or not the handoff is to be performed based on a value obtained by number-averaging the measurement result of the measurement section after a lapse of a predetermined period since the handoff is performed, even thought Ahmed teaches monitoring the signal strengths of pilots transmitted from base stations and also based on some

certain criteria such as Add/Drop thresholds settings (see col 1 lines 45-67, col 2 lines 1-34, col 4 lines 45-65), and also teaches the mobile station detects pilot signals, manages these pilots by assigning them into 4 mutual exclusive sets then the handoff will be performed when some certain criteria meets such as the pilot signal is greater than the pilot detection threshold T-Add (see figure 1, see column 4 lines 45-67, column 5 lines 15-35)). In an analogous art, Zhao describes the handoff is performed based on an average number being averaged over period of time (see Zhao, figure 2, column 4 lines 48-67 and column 5 lines 1-30, where Zhao describes the handoff process is started based on number of measurement of pilot signal strengths over time, the handoff is finally determined by averaging out those measured values of signal strength referring to time, therefore, Zhao describes the handoff is performed based on an average number being averaged over period of time), therefore, it would have been obvious to a person of ordinary skill in the art at the time of the invention was made to incorporate Zhao's teaching into Ahmed's invention in order to have the extra feature of the determination section determines whether or not the handoff is to be performed based on a value obtained by time-averaging the measurement result of the measurement section immediately after the handoff is performed, and determines whether or not the handoff is to be performed based on a value obtained by number-averaging the measurement result of the measurement section after a lapse of a predetermined period since the handoff is performed.

8. Claims 6 and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ahmed (US Patent 6,782,261), further in view of Stanislaw (2000-201369).

Consider claim 6, as applied to any one of claims 1-5, Ahmed fails to disclose the wireless communication terminal enables to be in an idle state condition with both methods of cdma2000 1x method and 1xEVDO method, and the determination section is used as section for determining a handoff of cdma2000 1x method, even though Ahmed discloses the mobile phone and the method for handling handoff situations are using CDMA technique (see the detail description, see column 3 lines 5-67, see

column 4 lines 1-67). In same field of endeavor, Stanislaw describes the method for handling handoff between generations (implies old version 2G and new version 3G that including CDMA2000 1x method and 1xEV-DO method) (see the title, see the abstract, and see the detail description, pars [1]-[4], [12]-[14], where describing the handoff situation being performed by using the 3G CDMA, which is a CDMA2000 1x method). Therefore, it would have been obvious to a person of ordinary skill in the art at the time of the invention was made to modify Stanislaw's teaching and incorporate it into Ahmed's invention in order to have a wireless communication terminal being able to handle handoff situation using CDMA2000 1x method.

Page 13

Consider claim 12, as applied to any one of claims 7-11, Ahmed fails to disclose the wireless communication terminal enables to be in an idle state condition with both methods of cdma2000 1x method and 1xEVDO method, and the determination section is used as section for determining a handoff of cdma2000 1x method, even though Ahmed discloses the mobile phone and the method for handling handoff situations are using CDMA technique (see the detail description, see column 3 lines 5-67, see column 4 lines 1-67). In same field of endeavor, Stanislaw describes the method for handling handoff between generations (implies old version 2G and new version 3G that including CDMA2000 1x method and 1xEV-DO method) (see the title, see the abstract, and see the detail description, pars [1]-[4], [12]-[14], where describing the handoff situation being performed by using the 3G CDMA, which is a CDMA2000 1x method). Therefore, it would have been obvious to a person of ordinary skill in the art at the time of the invention was made to modify Stanislaw's teaching and incorporate it into Ahmed's invention in order to have a wireless communication terminal being able to handle handoff situation using CDMA2000 1x method.

Conclusion

Any response to this Office Action should be faxed to (571) 273-8300 or mailed to:

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Hand-delivered responses should be brought to

Customer Service Window Randolph Building 401 Dulany Street Alexandria, VA 22314

Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Huy C. Ho whose telephone number is (571) 270-1108. The Examiner can normally be reached on Monday-Friday from 8:30am to 5:00pm.

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's supervisor, Nick Corsaro can be reached on (571) 272-7876. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free) or 703-305-

3028.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist/customer service whose telephone number is (571) 272-2600.

Application/Control Number: 10/542,225

Art Unit: 2617

Huy C. Ho H.C.H./hch

NICK CORSARO XAMINER
NICK CORSARO ENTER 2600

NICK CORSARO CENTER 2600